






RETICLES




5 M.O.A. Red Dot




Fine CrossHair




Standard




Deer & Turkey




MilDot



German Post
CrossHair



CrossBow




Rangefinder




TECHNICAL SPECIFICATIONS

RIFLESCOPES



RED DOT SCOPES



MODEL NO.	MAGNIFICATION	OBJ. LENS DIA-MM	EXIT PUPIL RANGE IN VARIABLE-MM	FIELD OF VIEW IN FEET IN 100 YDS.	OPTIMUM EYE RELIEF INCHES	WEIGHT IN OUNCES	A	B	C	D	E	F	G	H	I
ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE INDICATED															
CATSEYE SCOPES															
FM1545X32	1.5 - 4.5X	32	21 - 0.7	42 - 18	4	12	11.5	5.5	1.8	2.5	3.6	4	2	1.8	1
FM310X44	3 - 10X	44	14.7 - 4.4	27 - 9	3.5	16	13.3	5.6	2	2.5	3.6	4	2	1.8	1
FM3510X50	3.5 - 10X	50	14 - 3.5	30 - 10.5	4.5	17.2	13.3	5.4	1.7	2.5	3.6	4.2	2.2	1.8	1
FM416X50AO	4 - 16X	50	12.5 - 3.1	25 - 6	4.5	22	15.2	5.9	2	2.5	3.6	5.8	2.4	1.8	1
CATSEYE ILLUMINATED RETICLE															
FM1545X32IR	1.5 - 4.5X	32	21 - 0.7	42 - 12.5	4	12	11.5	5.5	1.8	2.5	3.6	4	2	1.8	1
FM310X44IR	3 - 10X	44	14.7 - 4.4	27 - 9	4.5	16	13.3	5.6	2	2.5	3.6	4	2	1.8	1
FM3510X50IR	3.5 - 10X	50	14 - 3.5	30 - 10.5	3.5	17.2	13.3	5.4	1.7	2.5	3.6	4.2	2.2	1.8	1
HUNTSMAN SCOPES															
HM39X40	3 - 9X	40	10.1 - 4.8	34.1 - 6.3	3	14.8	12.7	6	2.4	2.2	3.8	3.1	1.9	1.7	1
HM39X40TV	3 - 9X	40	10.1 - 4.8	34.1 - 6.3	3	14.8	12.7	6	2.4	2.2	3.8	3.1	1.9	1.7	1
HM39X44	3 - 9X	44	10.1 - 4.8	34.1 - 6.3	3	14.9	12.7	6	2.4	2.2	3.8	3.1	1.9	1.7	1
HM312X50	3 - 12X	50	8.4 - 4.4	26.6 - 7.9	3	21.9	13.3	5.4	2	2.2	3.8	4.1	2.4	1.7	1
HM416X40	4 - 16X	40	6.6 - 2.2	19 - 6.3	3	19.4	14.5	6.7	3.2	2.2	3.8	4	1.9	1.7	1
HM618X40	6 - 18X	40	7.2 - 2.1	13.6 - 4.2	3	19.9	15.9	6.4	2.9	2.2	3.8	5.7	1.9	1.7	1
HM4X32DT	4X	32	11.9	19	3	9	8.5	3.3	1.5	0.7	2.7	2.4	1.5	1.5	1
HM1545X32DT	1.5 - 4.5X	32	11.9 - 7.3	46.2 - 20	5	12.7	11.6	5.4	1.9	2.2	3.9	2.4	1.5	1.7	1
DEERHUNTER SCOPES															
DH25X20	2.5X	20	8.1	24.6	6	8	7.3	4.6	1.7	1.1	2.7	0.5	1	1.3	1
DH39X40	3 - 9X	40	10.1 - 4.8	38.8 - 6.3	3	14.8	12.8	6	2.4	2.2	3.8	3.1	1.9	1.7	1
DH39X40SIL	3 - 9X	40	10.1 - 4.8	34.1 - 6.3	3	14.8	12.8	6	2.4	2.2	3.8	3.1	1.9	1.7	1
DH2510X44	2.5 - 10X	44	11.5 - 4.7	35.1 - 8.9	3	15.5	13.4	6.1	2.6	2.1	3.9	3.3	2	1.7	1
DH39X50	3 - 9X	50	10.5 - 1.1	36.7 - 11.3	3	17.3	12.9	5.4	2	2.2	3.9	3.5	2.2	1.7	1
DH1545X32	1.5 - 4.5X	32	11.9 - 7.3	46.2 - 20.4	5	12.7	11.6	5.4	1.9	2.2	3.9	2.4	1.5	1.7	1
BLACK POWDER SCOPES															
BP39X40	3 - 9X	40	13 - 4	35 - 12	3	13.69	13	5.75	2.38	2.25	4	3	1.8	1.65	1
BP1545X32	1.5 - 4.5X	32	21 - 7	45 - 17	3	12.25	11.5	5	1.9	2	3.75	2.65	1.53	1.65	1
LIGHT FORCE															
MAG310X57	3-10X	57	19-7	39-13	3	28.1	13	14.5	1.92	2.37	3.3	4	2.6	1.88	30
MAG412X57	4-12X	57	14-4	28-6	3	28.7	13	14.5	1.92	2.37	3.3	4	2.6	1.88	30
PANTHER SCOPES															
PAN310X40	3 - 10X	40	13 - 4	29 - 10.5	3	17.5	13.5	5.6	2.25	2.25	3.75	4.13	2	1.7	1
PAN2510X44AO	2.5 - 10X	44	18 - 4	35 - 11	3	20.7	14.5	5.25	1.9	2.05	3.75	5.3	2.4	1.7	1
PAN3510X50	3.5 - 10X	50	14 - 5	27 - 10.5	3	20	14	5.5	2.25	2.25	3.75	4.5	2.32	1.7	1
PAN6520X44AO	6.5 - 20X	44	7 - 2	14 - 4.5	3	21	16	6.25	2.3	2.75	3.75	6	2.4	1.7	1
.22 SPECIAL SCOPES															
S39X32WR	3 - 9X	32	8.3 - 3.7	37.7 - 14.1	3	12.3	12	5.8	2.4	2.2	3.7	2.4	1.5	1.5	1
S39X32WRSIL	3 - 9X	32	8.3 - 3.7	37.7 - 14.1	3	12.3	12	5.8	2.4	2.2	3.7	2.4	1.5	1.5	1
S4X32 WR	4X	32	8	26	3	9	10.3	4.9	2.1	1.7	3.1	2.3	1.5	1.5	1
SWEET 17 SCOPES															
17-27X32A/O	2 - 7X	32	9.4 - 4.6	36.2 - 11.5	3	15.9	12	5.1	1.7	2.2	3.9	3.1	1.8	1.7	1
17-312X40	3 - 12X	40	10.8 - 3.6	28 - 7	3	19.4	13.5	5.5	2	2.1	3.8	4	2.1	1.7	1
17-618X40A/O	6 - 18X	40	6.6 - 2.2	14 - 4	3	20	18.8	6.5	3.5	1.88	3.88	5.5	2.15	1.65	1
SWEET 22 SCOPES															
22-27X32A/O	2-7X	32	9.4-4.6	36.2-11.5	3	15.9	12	5.1	1.7	2.2	3.9	3.1	1.8	1.7	1
22-39X40A/O	3-9X	40	13.3-4.4	28-1	3	19.4	13.5	5.5	2	2.1	3.8	4	2.1	1.7	1
22-618X40A/O	6-18X	40	6.6-2.2	14-4	3	20	18.8	6.5	3.5	1.88	3.88	5.5	2.15	1.7	1
CONTENDER SCOPES															
CT312X40TS	3 - 12X	40	8.4 - 3.5	24.6 - 7.9	3	18.3	13.7	5.5	2	2.2	3.7	4.3	2	1.7	1
CT416X40TS	4 - 16X	40	8.6 - 3.5	19.2 - 6.3	3	19.4	15	5.7	2.1	2.2	3.7	5.5	2	1.7	1
CT624X40TS	6 - 24X	40	7.2 - 2.1	14.7 - 4.7	3	19.9	16.1	6.4	3.1	2	3.7	5.5	2	1.7	1
CT624X40SIL	6 - 24X	40	7.2 - 2.1	14.7 - 4.7	3	19.9	16.1	6.4	3.1	2	3.7	5.5	2	1.7	1
CT832X40TS	8 - 32X	40	5.2 - 1.6	9.4 - 3.7	3	20.8	16.1	6.8	3.6	1.9	3.7	5.6	2	1.7	1
MIL-DOT SCOPES															
MD416X 40	4 - 16X	40	8.6 - 3.5	19.2 - 6.3	3	19.4	15	5.7	2.1	2.2	3.7	5.5	2	1.7	1
MD624X40	6 - 24X	40	7.2 - 2.1	14.7 - 4.7	3	19.9	16.1	6.4	3.1	2	3.7	5.5	2	1.7	1
MD832X40	8 - 32X	40	5.2 - 1.6	9.4 - 3.7	3	20.1	16.1	6.8	3.6	1.9	3.7	5.6	2	1.7	1



TECHNICAL SPECIFICATIONS

MODEL NO.	MAGNIFICATION	OBJ. LENS DIA-MM	EXIT PUPIL RANGE IN VARIABLE-MM	FIELD OF VIEW IN FEET @ 100 YDS.	OPTIMUM EYE RELIEF INCHES	WEIGHT IN OUNCES	A	B	C	D	E	F	G	H	I
ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE INDICATED															
MD416X40IR	4 - 16X	40	7.6 - 2.8	20 - 5	3	22.9	15.5	5.8	2.2	2.4	3.8	5.5	2.1	1.7	1
MD624X40IR	6 - 24X	40	6 - 1	13 - 3	3	22.9	16.1	6.4	3.1	2	3.7	5.5	2	1.7	1
PLATINUM SCOPES															
PT624X44TS	6 - 24X	44	7.3 - 1.8	15 - 4	3	24.3	15.8	6.5	3.2	2	3.6	5.5	2.1	1.5	1
PT832X44TS	8 - 32X	44	5.5 - 1.3	11 - 3	3	24.3	15.8	6.8	3.5	2	3.6	5.5	2.1	1.5	1
PT624X44MD	6 - 24X	44	7.3 - 1.8	15 - 4	3	25.8	15.8	6.5	3.2	2	3.6	5.5	2.1	1.5	1
PT832X44MD	8 - 32X	44	5.5 - 1.3	11 - 3	3	25.8	15.8	6.8	3.5	2	3.6	5.5	2.1	1.5	1
PT624X44MDIR	6 - 24X	44	7.3 - 1.8	15 - 4	3	25.8	15.8	6.5	3.2	2	3.6	5.5	2.1	1.5	1
PT832X44MDIR	8 - 32X	44	5.5 - 1.3	11 - 3	3	25.8	15.8	6.8	3.5	2	3.6	5.5	2.1	1.5	1
SIDE WHEEL FOCUS															
SWF624X40	6 - 24X	40	7.3 - 1.8	15 - 3	3.5	19.7	14.7	6.2	2.4	2.2	3.6	5.3	2.0	1.7	1
SWF832X40	8 - 32X	40	5.5 - 1.3	12 - 3	3.5	21.9	16	6.5	2.6	2.6	3.2	6.5	2.0	1.7	1
SWF624X44/30	6 - 24X	44	7.3 - 1.8	15 - 3	3.5	20.5	15.2	6.2	2.4	2.2	3.6	5.3	2.0	1.7	1
SWF832X44/30	8 - 32X	44	5.5 - 1.3	13 - 3	3.5	23.9	16.2	6.5	2.6	2.6	3.2	6.5	2.0	1.7	1
ILLUMINATED DOT RETICLE															
GE4X32IRCP	4X	32	8	26 - 2	3.5	23.9	16.2	6.5	2.6	2.6	3.2	6.5	2.0	1.7	1
GE39X40IRCP	3 - 9X	40	13 - 4	34 - 11	3.5	23.9	16.2	6.5	2.6	2.6	3.2	6.5	2.0	1.7	1
GE39X50IRCP	3 - 9X	50	16 - 5	34 - 11	3.5	23.9	16.2	6.5	2.6	2.6	3.2	6.5	2.0	1.7	1
AIR RIFLE SCOPES															
AR4X32	4X	32	8.4	17.8	3	14.1	11.8	5.7	2.2	2.2	3.1	3.1	1.8	1.5	1
AR27X32	2 - 7X	32	9.4 - 4.6	36.2 - 11.5	3	15.9	12	5.1	1.7	2.2	3.9	3.1	1.8	1.7	1
AR312X40	3 - 12X	40	10.8 - 3.6	27 - 7	3	19.4	13.5	5.5	2	2.1	3.8	4	2.1	1.7	1
AR312X44	3 - 12X	44	8.4 - 3.8	28.2 - 7.9	3	19	13.5	5.6	2.1	2.2	3.9	4.1	2.2	1.7	1
RED DOT SCOPES															
DIMENSIONS REFER TO RED DOT ILLUSTRATION															
RD30	1X	30	N/A	68	UNLIMITED	5	3.8	2.7	0.6	0.6	1.5	1.5	N/A	N/A	N/A
RD30/22SIL	1X	30	N/A	68	UNLIMITED	5	3.8	2.7	0.6	0.6	1.5	1.5	N/A	N/A	N/A
RD30SB	1X	30	N/A	68	UNLIMITED	5	3.8	2.7	0.6	0.6	1.5	1.5	N/A	N/A	N/A
RD42SB	1X	42	N/A	80	UNLIMITED	7	3.8	2.7	0.6	0.6	1.8	1.8	N/A	N/A	N/A
RD50SB	1X	50	N/A	88	UNLIMITED	8.5	3.8	2.7	0.6	0.6	2	2	N/A	N/A	N/A
PISTOL SCOPES															
PS2X20	2X	2/0	10	25	11-20	7.5	8.4	5.3	2.4	1.4	2.6	0.5	1	1.4	1
PS2X20SIL	2X	2/0	10	25	11-20	7.5	8.4	5.3	2.4	1.4	2.6	0.5	1	1.4	1
LASER SCOPES															
LS650	650mm CLASS 3A LASER SIGHT														
LLCP	VARMINT HUNTER LASER SIGHT														
VH4X32LLWR	4X	32	8	26	3	15	10.3	4.9	2.1	1.7	3.1	2.3	1.5	1.5	1
1 PANORAMIC SIGHTS															
MR30BK	1X	30	N/A	68	UNLIMITED	5.8	5	3	1.65	1.5	30	30	N/A	N/A	30
PMDS	1X	34X24	N/A	68	UNLIMITED	3.7	3	2.25	0.5	N/A	N/A	N/A	N/A	N/A	N/A
PMRS	1X	34X24	N/A	68	UNLIMITED	3.7	3	2.25	0.5	N/A	N/A	N/A	N/A	N/A	N/A
RINGS															
DHMR	MED 1" RING MOUNT FOR .22-AIR GUN GROOVED RECEIVER														
DHHR	HIGH 1" RING FOR .22-AIR GUN GROOVED RECEIVERS														
DHWMR	MED RING MOUNT FOR WEAVER STYLE MOUNTS														
DHWHR	HIGH RING MOUNT FOR WEAVER STYLE MOUNTS														
ACCESSORIES/RIMFIRE															
R4X15CP	4X	32	11.9	19	3	9	5.5	3.3	1.5	0.7	2.7	2.4	1.5	1.5	1
R37X20CP	3X7X	20	6.2	24.11	3	4.9	11.5	5.5	2.5	2	2.5	2	1	0.9	0.75
BS30	BSA BORE SIGHTER														